Kluwer Patent Blog

Patent case: C.R. Bard, Inc. v. AngioDynamics, Inc., USA

Linda Panszczyk · Saturday, October 13th, 2018

The U.S. Court of Appeals for the Federal Circuit has vacated and remanded a Patent Trial and Appeal Board decision that a reference guide qualified as a printed publication, in a case involving reexamination of medical device patents relating to access ports, asking for the Board to clarify its findings on this matter. Further, the court also concluded that some of the Board's anticipation and obviousness rulings were predicated on erroneous claim construction, and it reversed the Board's anticipation findings and remanded obviousness findings for further consideration under the correct construction, in light of any further findings on the printed publication question. The court affirmed all of the other aspects of the Board's ruling (C.R. Bard, Inc. v. AngioDynamics, Inc., September 28, 2018, O'Malley, K.).

Case date: 28 September 2018 Case number: No. 2017-1851

Court: United States Court of Appeals, Federal Circuit

A full summary of this case has been published on Kluwer IP Law.

To make sure you do not miss out on regular updates from the Kluwer Patent Blog, please subscribe here.

Kluwer IP Law


The **2022 Future Ready Lawyer survey** showed that 79% of lawyers think that the importance of legal technology will increase for next year. With Kluwer IP Law you can navigate the increasingly global practice of IP law with specialized, local and cross-border information and tools from every preferred location. Are you, as an IP professional, ready for the future?

Learn how Kluwer IP Law can support you.

79% of the lawyers think that the importance of legal technology will increase for next year.

Drive change with Kluwer IP Law.

The master resource for Intellectual Property rights and registration.



2022 SURVEY REPORT
The Wolters Kluwer Future Ready Lawyer

Leading change



This entry was posted on Saturday, October 13th, 2018 at 2:28 am and is filed under Case Law, United States of America

You can follow any responses to this entry through the Comments (RSS) feed. Both comments and pings are currently closed.